



# Certified trap identification sheet

## BELISLE FOOTSNARE

JANUARY 2023


SET TRAP

CLOSED TRAP

N° 6 AND 8



SÉLECTIF



AIHTS CERTIFICATION

MODEL	NUMBER	TARGET SPECIES	INSIDE MEASUREMENT (A) TAKEN ON THE SET TRAP
N° 6	QLA	Canada Lynx, Coyote, Bobcat, Red fox	5 <sup>3</sup> / <sub>4</sub> inch (148 mm)
N° 8	QWA	Wolf	7 <sup>3</sup> / <sub>4</sub> inch (197 mm)
SÉLECTIF	QYB	Canada Lynx, Coyote, Bobcat, Red fox	5 <sup>3</sup> / <sub>4</sub> inch (148 mm)

Certified trap identification sheet

JANUARY 2023

Commercial name of trap :  
**BELISLE FOOTSNARE**



LOCATION OF THE  
CERTIFICATION NUMBER



FUR INSTITUTE OF CANADA | INSTITUT DE LA FOURRURE DU CANADA


# Certified trap identification sheet

## BEER

JANUARY 2023


### CLOSED TRAP

JAW OFFSET WIDTH:  
3/8 INCH (10.2 mm)



### SET TRAP

JAW THICKNESS:  
1/2 INCH (13 mm)



MODEL	AIHTS CERTIFICATION		INSIDE MEASUREMENT TAKEN ON THE SET TRAP	
	NUMBER	TARGET SPECIES	(A)	(B)
BFV N° 1 PLUS	AWB	Wolf	7 3/4 inch (198 mm)	8 1/4 inch (210 mm)




# Certified trap identification sheet

JANUARY 2023

## BREATHE EASY

### SET TRAP



MODEL	AIHTS CERTIFICATION		MEASUREMENTS	
	NUMBER	TARGET SPECIES	(A)	(B)
«BREATHE EASY» LIVE BEAVER TRAP	VCE	Beaver	48 inch (122 cm)	16.5 inch (42 cm)



# Certified trap identification sheet

## BRIDGER ALASKAN NO 5

JANUARY 2023

### CLOSED TRAP



OFFSET, LAMINATED



RUBBER JAWS

### SET TRAP



MODEL	AIHTS CERTIFICATION		INSIDE MEASUREMENT TAKEN ON THE SET TRAP	
	NUMBER	TARGET SPECIES	(A)	(B)
OFFSET, LAMINATED	QWE	Wolf	7 inch (176 mm)	7 <sup>1</sup> / <sub>8</sub> inch (180 mm)
RUBBER JAWS	QWF	Wolf	6 <sup>7</sup> / <sub>8</sub> inch (175 mm)	6 <sup>7</sup> / <sub>8</sub> inch (175 mm)



# Certified trap identification sheet


## BRIDGER BRAWN

JANUARY 2023

CLOSED TRAP



SET TRAP



MODEL	AIHTS CERTIFICATION		INSIDE MEASUREMENT TAKEN ON THE SET TRAP	
	NUMBER	TARGET SPECIES	(A)	(B)
N° 9 RUBBER JAWS	AWA	Wolf	7 1/2 inch (190 mm)	8 1/16 inch (205 mm)




# Certified trap identification sheet


## BRIDGER "COIL SPRINGS" OFFSET + LAMINATED JAWS

JANUARY 2023

SET TRAP



CLOSED TRAP




SEE REVERSE FOR MORE COMPONENTS DETAILS

MODEL	AIHTS CERTIFICATION		INSIDE MEASUREMENT TAKEN ON THE SET TRAP	
	NUMBER	TARGET SPECIES	(A)	(B)
N° 3 4 SPRINGS	VYB	Coyote	5 <sup>3</sup> / <sub>4</sub> inch (146 mm)	5 <sup>7</sup> / <sub>16</sub> inch (138 mm)

Commercial name of trap :

**BRIDGER "COIL SPRINGS"  
OFFSET + LAMINATED JAWS**



**ROUNDED LAMINATIONS**

ON TOP END  
OF JAW 3/16 inch

ON UNDERSIDE  
OF JAW 1/4 inch

JAW



**ANCHORING SWIVEL CENTRE  
(MOUNTED ON A BASE PLATE)**




# Certified trap identification sheet

## BRIDGER "T3"

JANUARY 2023

### SET TRAP



AIHTS CERTIFICATION			MEASUREMENTS	
MODEL	NUMBER	TARGET SPECIES	(A)	(B)
T3	VRB	Raccoon	4 inch (100 mm)	1 1/4 inch (30 mm)



# Certified trap identification sheet


## COMSTOCK

JANUARY 2023

**SET TRAP**



**CLOSED TRAP**



MODEL	AIHTS CERTIFICATION		MEASUREMENTS	
	NUMBER	TARGET SPECIES	(A)	(B)
12X18X39 SWIM THROUGH BEAVER CAGE	VCC	Beaver	39 inch (99 cm)	12 inch (30 cm)



# Certified trap identification sheet

JANUARY 2023

## DAM BEAVER

SET TRAP



CLOSED TRAP



MODEL	AIHTS CERTIFICATION		MEASUREMENTS	
	NUMBER	TARGET SPECIES	(A)	(B)
DAM BEAVER LIVE BEAVER TRAP	QCP	Beaver	36 <sup>1/2</sup> inch (93 cm)	28 inch (71 cm)



# Certified trap identification sheet

## DUFFER

JANUARY 2023

### SET TRAP



#### AIHTS CERTIFICATION

MODEL	NUMBER	TARGET SPECIES	WIDTH (A)
RACCOON TRAP	ORH	Raccoon	2 1/2 inch (60 mm)





# Certified trap identification sheet

## DUKE

JANUARY 2023

### CLOSED TRAP

### SET TRAP



CENTER MOUNTED ANCHORING

MODEL	AIHTS CERTIFICATION		INSIDE MEASUREMENT TAKEN ON THE SET TRAP	
	NUMBER	TARGET SPECIES	(A)	(B)
N° 3 RUBBER JAWS 2 SPRINGS	VYC	Coyote	5 inch (127 mm)	5 <sup>7</sup> / <sub>8</sub> inch (150 mm)



# Certified trap identification sheet

## DUKE DP

JANUARY 2023

### CLOSED TRAP




AIHTS CERTIFICATION			
MODEL	NUMBER	TARGET SPECIES	WIDTH (A)
DUKE DP COON TRAP	QRX	Raccoon	1 1/4 inch (30 mm)



# Certified trap identification sheet

## EGG TRAP

JANUARY 2023



### AIHTS CERTIFICATION

MODEL	NUMBER	TARGET SPECIES	(A)
EGG TRAP	VR1	Raccoon	1 1/2 inch (38 mm)



# Certified trap identification sheet


## EZEE SET

JANUARY 2023

SET TRAP



CLOSED TRAP



MODEL	AIHTS CERTIFICATION		MEASUREMENTS	
	NUMBER	TARGET SPECIES	(A)	(B)
EZEE SET LIVE BEAVER TRAP	VCA	Beaver	35 inch (89 cm)	28 inch (71 cm)




# Certified trap identification sheet

JANUARY 2023

## HANCOCK

SET TRAP



CLOSED TRAP



MODEL	AIHTS CERTIFICATION		MEASUREMENTS	
	NUMBER	TARGET SPECIES	(A)	(B)
HANCOCK LIVE BEAVER TRAP	VCD	Beaver	24 inch (61 cm)	35 inch (89 cm)




# Certified trap identification sheet

JANUARY 2023

## KORO "KLAM"

SET TRAP

CLOSED TRAP



MODEL	AIHTS CERTIFICATION		MEASUREMENTS	
	NUMBER	TARGET SPECIES	(A)	(B)
KORO "KLAM" LIVE BEAVER TRAP	VCB	Beaver	19 1/2 inch (49.4 cm)	32 1/4 inch (82 cm)




# Certified trap identification sheet

## LAY

JANUARY 2023


### CLOSED TRAP

JAW OFFSET WIDTH:  
5/16 INCH (8.5 mm)



### SET TRAP

JAW THICKNESS:  
1/2 INCH (13 mm)



MODEL	AIHTS CERTIFICATION		INSIDE MEASUREMENT TAKEN ON THE SET TRAP	
	NUMBER	TARGET SPECIES	(A)	(B)
N° 76 LAMINATED	CWA	Wolf	7 1/4 inch (185 mm)	8 inch (203 mm)



# Certified trap identification sheet

## LIL' GRIZZ GETRZ

JANUARY 2023

### SET TRAP



AIHTS CERTIFICATION			
MODEL	NUMBER	TARGET SPECIES	WIDTH (A)
LIL' GRIZZ GETRZ	ORI	Raccoon	1 1/4 inch (30 mm)




# Certified trap identification sheet

## LIVESTOCK PROTECTION

JANUARY 2023

### SET TRAP



MODEL	AIHTS CERTIFICATION		INSIDE MEASUREMENT TAKEN ON THE SET TRAP	
	NUMBER	TARGET SPECIES	(A)	(B)
EZ GRIP N° 7	QWC	Wolf	6 inch (152 mm)	6 1/4 inch (160 mm)



# Certified trap identification sheet

**MB**


JANUARY 2023

## CLOSED TRAP



**750  
ALASKAN OS <sup>3/8"</sup>**



**550 4CS  
RUBBER  
JAWS**



## SET TRAP



MODEL	AIHTS CERTIFICATION		INSIDE MEASUREMENT TAKEN ON THE SET TRAP	
	NUMBER	TARGET SPECIES	(A)	(B)
ALASKAN OS <sup>3/8"</sup>	QWG	Wolf	7 <sup>1/4</sup> inch (184 mm)	7 inch (180 mm)
550 4CS RUBBER JAWS	AYA	Coyote	6 <sup>1/4</sup> inch (158 mm)	4 <sup>3/4</sup> inch (121 mm)



# Certified trap identification sheet

## MUSKWA

JANUARY 2023


### CLOSED TRAP

JAW OFFSET WIDTH:  
5/16 INCH (7.5 mm)



### SET TRAP

JAW THICKNESS:  
1/2 INCH (13 mm)



MODEL	AIHTS CERTIFICATION		INSIDE MEASUREMENT TAKEN ON THE SET TRAP	
	NUMBER	TARGET SPECIES	(A)	(B)
N° 9 LAMINATED OFFSET	AWC	Wolf	7 1/4 inch (185 mm)	9 1/4 inch (235 mm)



# Certified trap identification sheet


## NO-BS-LURES

JANUARY 2023

**CLOSED TRAP**



**SET TRAP**



MODEL	AIHTS CERTIFICATION		INSIDE MEASUREMENT TAKEN ON THE SET TRAP	
	NUMBER	TARGET SPECIES	(A)	(B)
X-TREME WOLF	QWP	Wolf	8 <sup>3</sup> / <sub>4</sub> inch (228 mm)	7 <sup>3</sup> / <sub>4</sub> inch (197 mm)



# Certified trap identification sheet

## ONEIDA VICTOR "COIL SPRINGS" OFFSET + LAMINATED JAWS

JANUARY 2023

SET TRAP



CLOSED TRAPS



4 SPRINGS





2 SPRINGS

SEE REVERSE FOR MORE COMPONENTS DETAILS

MODEL	AIHTS CERTIFICATION		INSIDE MEASUREMENT TAKEN ON THE SET TRAP	
	NUMBER	TARGET SPECIES	(A)	(B)
N° 1.75 2 SPRINGS	VDB	Bobcat	4 <sup>1</sup> / <sub>2</sub> inch (115 mm)	4 <sup>5</sup> / <sub>8</sub> inch (118 mm)
N° 1.75 4 SPRINGS	QYC	Coyote	4 <sup>1</sup> / <sub>2</sub> inch (115 mm)	4 <sup>5</sup> / <sub>8</sub> inch (118 mm)
N° 3 2 SPRINGS	QYE	Coyote, Bobcat	4 <sup>3</sup> / <sub>4</sub> inch (121 mm)	6 inch (153 mm)
N° 3 4 SPRINGS	QYD	Coyote	4 <sup>3</sup> / <sub>4</sub> inch (121 mm)	6 inch (153 mm)

Commercial name of trap :  
**ONEIDA VICTOR "COIL SPRINGS"  
OFFSET + LAMINATED JAWS**



**ANCHORING SWIVEL CENTRE  
(MOUNTED ON A BASE PLATE)**




# Certified trap identification sheet


## ONEIDA VICTOR "COIL SPRINGS" NO 3 NON-OFFSET + LAMINATED JAWS

JANUARY 2023

SET TRAP



CLOSED TRAP




SEE REVERSE FOR MORE COMPONENTS DETAILS


MODEL	AIHTS CERTIFICATION		INSIDE MEASUREMENT TAKEN ON THE SET TRAP	
	NUMBER	TARGET SPECIES	(A)	(B)
N° 3 4 SPRINGS	QLC	Canada Lynx	5 1/4 inch (133 mm)	6 inch (153 mm)

Commercial name of trap :

**ONEIDA VICTOR "COIL SPRINGS"  
NO 3  
NON-OFFSET + LAMINATED JAWS**



## CHARACTERISTICS






# Certified trap identification sheet


## ONEIDA VICTOR "SOFT CATCH"

JANUARY 2023

SET TRAP




CLOSED TRAP




MODEL	AIHTS CERTIFICATION		INSIDE MEASUREMENT TAKEN ON THE SET TRAP	
	NUMBER	TARGET SPECIES	(A)	(B)
N° 1.5 2 SPRINGS	VYA	Coyote	4 <sup>5</sup> / <sub>8</sub> inch (120 mm)	4 <sup>5</sup> / <sub>8</sub> inch (120 mm)
N° 1.5 4 SPRINGS	VDA	Coyote, Bobcat	4 <sup>5</sup> / <sub>8</sub> inch (120 mm)	4 <sup>5</sup> / <sub>8</sub> inch (120 mm)
N° 3 2 SPRINGS	QY1	Canada Lynx, Coyote, Bobcat	5 inch (127 mm)	6 <sup>1</sup> / <sub>8</sub> inch (156 mm)
N° 3 4 SPRINGS	QLB	Canada Lynx, Bobcat, Coyote	5 inch (127 mm)	6 <sup>1</sup> / <sub>8</sub> inch (156 mm)

Commercial name of trap :  
**ONEIDA VICTOR**  
**"SOFT CATCH"**



## CHARACTERISTICS







# Certified trap identification sheet

## ONEIDA VICTOR "SOFT CATCH" NO 3 (MODIFIED FOR WOLF)

JANUARY 2023



JAWS ANCHORING POINT STRENGTHENED BY WELDING POINTS



### AIHTS CERTIFICATION

MODEL	NUMBER	TARGET SPECIES	CHARACTERISTICS
3 SC (MODIFIED)	QWB	Wolf	<ul style="list-style-type: none"> <li>• 4 coil springs</li> <li>• Minimum 8 mm thick base plate</li> <li>• Centered swivel</li> </ul>



# Certified trap identification sheet

## RUDY RED WOLF

JANUARY 2023

**CLOSED TRAP**



**SET TRAP**



MODEL	AIHTS CERTIFICATION		INSIDE MEASUREMENT TAKEN ON THE SET TRAP	
	NUMBER	TARGET SPECIES	(A)	(B)
N <sup>o</sup> 4 1/2	QWD	Wolf	6 3/8 inch (162 mm)	7 3/8 inch (185 mm)